L Number	Hits	Search Text	DB	Time stamp
-	3373	((web internet wan www) near5 (server	USPAT;	2003/08/12
:		page site prox\$4) same (track\$4	EPO; JPO;	15:03
		monitor\$4) same (user client member subscriber computer))	DERWENT; IBM TDB	
_	388	(((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	15:36
		monitor\$4) same (user client member	DERWENT;	•
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (ip ipx (internet adj protocol)) same (user client member		
]	subscriber computer)) and ((database		
		table list\$4) same tim\$4)		
-	31	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		<pre>page site prox\$4) same (track\$4 monitor\$4) same (user client member</pre>	EPO; JPO; DERWENT;	17:53
		subscriber computer))) and ((database	IBM TDB	
		table list\$4) same (address\$4 near3 (ip	15155	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4) and (tim\$4 same (sync\$4 synchron\$7) same		
		(server global internet web))		
-	30	(((web internet wan www) near5 (server	USPAT;	2003/08/12
		page site prox\$4) same (track\$4	EPO; JPO;	15:43
		monitor\$4) same (user client member subscriber computer))) and ((database	DERWENT; IBM TDB	
		table list\$4) same (address\$4 near3 (ip	1011_100	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) near11 (tim\$4 timestamp\$4 time-stamp\$4)) and ((tim\$4		
		timestamp\$4 time=stamp\$4) same (sync\$4		
		synchron\$7) same (server global internet		
		web))		0003/00/13
-	. 18	(((web internet wan www) near5 (server page site prox\$4) same (track\$4	USPAT; EPO; JPO;	2003/08/12 16:59
		monitor\$4) same (user client member	DERWENT;	10.03
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip		
İ		<pre>ipx (internet adj protocol))) near11 (user client member subscriber computer))</pre>		
		and ((database table list\$4) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) and		
		((tim\$4 timestamp\$4 time-stamp\$4) near11		
_	160	(sync\$4 synchron\$7)) ((web internet wan www) near5 (server	USPAT;	2003/08/12
	160	page site prox\$4)) and ((track\$4	EPO; JPO;	17:11
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer)) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4))		
-	136		USPAT;	2003/08/12 17:19
		<pre>page site prox\$4)) and ((track\$4 monitor\$4) near11 (user client member</pre>	EPO; JPO; DERWENT;	11.12
		subscriber computer)) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 near3 (ip	_	
		ipx (internet adj protocol))) near11		
		(user client member subscriber computer)) and ((database table list\$4 field) nearl1		
		(tim\$4 timestamp\$4 time-stamp\$4))		

<u>•</u>				
-	10	((web internet wan www) near5 (server	USPAT;	2003/08/12
1		page site prox\$4)) and ((track\$4	EPO; JPO;	17:20
		monitor\$4) near11 (user client member	DERWENT;	
		<pre>subscriber computer)) and ((database table list\$4) near11 (address\$4 near3 (ip</pre>	IBM_TDB	
		ipx (internet adj protocol))) near11		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) and		
		((tim\$4 timestamp\$4 time-stamp\$4) near11		
		(sync\$4 synchron\$7)) not ((((web internet		
		wan www) near5 (server page site prox\$4)		
		same (track\$4 monitor\$4) same (user		
		client member subscriber computer))) and		
		<pre>((database table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol)))</pre>		
		same (user client member subscriber		
		computer)) and ((database table list\$4)		
		nearl1 (tim\$4 timestamp\$4 time-stamp\$4))		
		and ((tim\$4 timestamp\$4 time-stamp\$4)		
		same (sync\$4 synchron\$7) same (server		
		<pre>global internet web)))</pre>		
-	114	((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4)) and ((track\$4	EPO; JPO;	09:15
		monitor\$4) near11 (user client member	DERWENT;	
		<pre>subscriber computer)) and ((database table list\$4) near11 (address\$4 near3 (ip</pre>	IBM_TDB	
		ipx (internet adj protocol))) nearl1		
		(user client member subscriber computer))		
		and ((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
	!	((((web internet wan www) near5 (server		
		page site prox\$4) same (track\$4		
		monitor\$4) same (user client member		
		subscriber computer))) and ((database		
		table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
		((database table list\$4) near11 (tim\$4		
		timestamp\$4 time-stamp\$4)) and ((tim\$4		
İ		timestamp\$4 time-stamp\$4) same (sync\$4		
		synchron\$7) same (server global internet		·
		web)))		
-	42	((web internet wan www) near5 (server	USPAT;	2003/08/12
		<pre>page site prox\$4)) and ((track\$4 monitor\$4) near11 (user client member</pre>	EPO; JPO; DERWENT;	17:55
		subscriber computer)) and ((database)	IBM TDB	
		near11 (address\$4 near3 (ip ipx (internet		
		adj protocol))) nearl1 (user client		
		member subscriber computer)) and		
		((database field) nearl1 (tim\$4		
		timestamp\$4 time-stamp\$4)) not ((((web		
		internet wan www) near5 (server page site		
		<pre>prox\$4) same (track\$4 monitor\$4) same (user client member subscriber</pre>	ļ	
		computer))) and ((database table list\$4)		
		same (address\$4 near3 (ip ipx (internet		
		adj protocol))) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((tim\$4 timestamp\$4		
		time-stamp\$4) same (sync\$4 synchron\$7)		
_	100	same (server global internet web)))	Henya.	2003/09/13
-	109	((web internet wan www) near5 (server page site prox\$4)) and ((database table	USPAT; EPO; JPO;	2003/08/13
		list\$4) near11 (address\$4 near3 (ip ipx	DERWENT;	12.33
		(internet adj protocol))) near11 (user	IBM TDB	
		client member subscriber computer)) and		
		((database table list\$4 field) near11		
		(tim\$4 timestamp\$4 time-stamp\$4)) not		
		((track\$4 monitor\$4) near11 (user client		
	L	member subscriber computer))	L	L

_	34	<pre>((web internet wan www) nearl1 (server page site prox\$4)) and (server nearl1 (database table list\$4) nearl1 (address\$4 near3 (ip ipx (internet adj protocol))) nearl1 (user client member subscriber computer)) and ((database table list\$4 field) nearl1 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) nearl1 (user client member subscriber computer))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:52
	79	(((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))) not (((web internet wan www) near11 (server page site prox\$4)) and (server near11 (database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:57
_	78	((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4) near11 server) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:55
	48	((web internet wan www) near5 (server page site prox\$4)) and ((database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4) near11 server) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))) not (((web internet wan www) near11 (server page site prox\$4)) and (server near11 (database table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol))) near11 (user client member subscriber computer)) and ((database table list\$4 field) near11 (tim\$4 timestamp\$4 time-stamp\$4)) not ((track\$4 monitor\$4) near11 (user client member subscriber computer))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 12:57
_	26	((server page site prox\$4) same (mib (manag\$7 adj information adj base)) same (user client member subscriber computer)) and ((database table list\$4) same (address\$4 near3 (ip ipx (internet adj protocol))) same (user client member subscriber computer)) and ((database table list\$4) same tim\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 14:24
-	161		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/13 15:31

Search History 2/3/04 2:43:49 PM Page 3

•				
-	58	((((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same ((track\$4	EPO; JPO;	15:37
		monitor\$4) near7 (user client member	DERWENT;	
		subscriber computer)) near6 (activ\$7	IBM_TDB	
		browsing)))) and ((compar\$6 match\$4)		
		near7 (user address\$4 client member		
1		subscriber computer))		
-	11	((((web internet wan www) near5 (server	USPAT;	2003/08/13
	,	page site prox\$4) same ((track\$4	EPO; JPO;	15:37
		monitor\$4) near7 (user client member	DERWENT;	
1		subscriber computer)) near6 (activ\$7	IBM_TDB	
		<pre>browsing))) and ((compar\$6 match\$4)</pre>	_	
		near7 address\$4)		
-	75	(((web internet wan www) near5 (server	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:22
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) same (ip ipx (internet adj	_	
		protocol)) same (user client member		
		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		
1		(sync\$4 synchron\$7) same (server global		
		internet web))		
-	55	((((web internet wan www) near5 (server	USPAT	2003/08/13
		page site prox\$4) same (track\$4		17:26
		monitor\$4) same (user client member		
		subscriber computer))) and ((database		
		table list\$4) same (ip ipx (internet adj		
		protocol)) same (user client member		
1		subscriber computer)) and ((database		
		table list\$4) same tim\$4) and (tim\$4 same		
		(sync\$4 synchron\$7) same (server global		
		internet web))) and ((match\$4 compar\$7)		
		nearl1 (user client member subscriber		
		computer address\$4))		
-	26	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2003/08/13
		page site prox\$4) same (track\$4	EPO; JPO;	17:47
		monitor\$4) same (user client member	DERWENT;	
		subscriber computer))) and ((database	IBM_TDB	
		table list\$4) near11 (address\$4 ip ipx		
		(internet adj protocol)) near11 (user		
	•	client member subscriber computer)) and		•
		((database table list\$4) near11 tim\$4)		
		and (tim\$4 near11 (sync\$4 synchron\$7)		
		nearl1 (server global internet web))		2002/00/22
-	11	((web internet wan www) nearl1 (track\$4	USPAT;	2003/08/13
		monitor\$4) near11 (user client member	EPO; JPO;	17:45
		subscriber computer) near6 (activ\$7	DERWENT;	
		browsing)) and ((compar\$6 match\$4) near7	IBM_TDB	
		(user client subscriber member profil\$4		
		address\$4)) and (tim\$4 same (sync\$4 synchron\$7) same (server global internet		
		synchrons/) same (server grobal internet web))		
1_	16	1 ' '	USPAT;	2003/08/13
	10	((((web internet wan www) hearif (server page site prox\$4) same (track\$4	EPO; JPO;	17:59
		monitor\$4) same (user client member	DERWENT;	1,.35
		subscriber computer))) and ((database	IBM TDB	
	I	table list\$4) same (address\$4 near3 (ip	12.1_12.5	
		ipx (internet adj protocol))) same (user		
		client member subscriber computer)) and		
	1	((database table list\$4) same tim\$4)) and		
		((tim\$4 same (sync\$4 synchron\$7) same		
1		(server global internet web)) and		
		((compar\$6 match\$4) near7 (user field		
		client subscriber member profil\$4		
		address\$4)))		
1	I	, , , , , , , , , , , , , , , , , , ,		1

•				
-	227	(((web internet wan www) nearl1 (server	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	10:27
		monitor\$4) same (user client member subscriber computer))) and ((database	DERWENT; IBM TDB	
		table list\$4) same (address\$4 near3 (ip	157_105	
		ipx (internet adj protocol))) same (user		<u> </u>
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)		
-	13	,	USPAT;	2003/08/14
		page site prox\$4) same (track\$4	EPO; JPO;	10:31
		monitor\$4) same (user client member subscriber computer))) and ((database	DERWENT; IBM TDB	
		table list\$4) same (address\$4 near3 (ip	15/1_155	
		<pre>ipx (internet adj protocol))) same (user</pre>		
		client member subscriber computer)) and		
		((database table list\$4) same tim\$4)) and	•	
		(((match\$4 find\$4 compar\$6) near11		
		(database table list) near11 (user client member subscriber)) and ((add addition		
		adding added) nearl1 (new distinct)		
		nearl1 (user client member subscriber))		
		and (tim\$4 timestamp\$4 time-stamp\$4))		
-	106		USPAT;	2003/08/14
		nearl1 (user client member subscriber))	EPO; JPO;	09:29
	1	and ((add addition adding added) near11	DERWENT;	
	1	<pre>(new\$2 distinct\$4) near11 (user client member subscriber)) and ((match\$4</pre>	IBM_TDB	
		compar\$6) near11 (tim\$4 timestamp\$4		
		time-stamp\$4))		
-	15	, ,	USPAT;	2003/08/14
		nearl1 (user client member subscriber))	EPO; JPO;	09:21
		and ((add addition adding added) near11	DERWENT;	
		(new\$2 distinct\$4) near11 (user client member subscriber)) and ((match\$4	IBM_TDB	
		compar\$6) near11 (tim\$4 timestamp\$4		
		time-stamp\$4)) and ((sync\$4 synchroniz\$6		
		globl\$4) near6 (clock tim\$4))		
-	37	(USPAT;	2003/08/14
		(user client member subscriber))) and	EPO; JPO;	10:31
		<pre>((add addition adding added) nearl1 (user client member subscriber)) and ((match\$4</pre>	DERWENT; IBM TDB	
		compar\$6) near11 ((tim\$4 adj stamp\$5)	1511_155	
		timestamp\$4 time-stamp\$4))		
-	4	(((()))	USPAT;	2003/08/14
	İ	member subscriber computer)) and	EPO; JPO;	10:35
		((database table list\$4) near11	DERWENT;	
		<pre>(address\$4 near3 (ip ipx (internet adj protocol)))) and ((database table list\$4)</pre>	IBM_TDB	
		near7 (tim\$4 timestamp\$4))) and ((match\$4		
		compar\$6) near11 (address\$4 user client		
		member subscriber)) and ((add addition		
		adding added new\$3) near11 (address\$4		
		user client member subscriber)) and ((match\$4 compar\$6) near9 (tim\$4		
		timestamp\$4 time-stamp\$4))) and		
	1	709/224.ccls.		
-	37		USPAT;	2003/08/14
		member subscriber computer)) and	EPO; JPO;	10:49
		((database table list\$4) near11	DERWENT;	
		<pre>(address\$4 near3 (ip ipx (internet adj protocol)))) and ((database table list\$4)</pre>	IBM_TDB	
		near7 (tim\$4 timestamp\$4))) and		
		709/224.ccls.		
-	89	((web internet wan www) same (track\$4	USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:48
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip ipx (internet adj protocol)))) and	IBM_TDB	
		((database table list\$4) near7 (tim\$4		
L		timestamp\$4))		

•				
-	17	(((web internet wan www) same (track\$4	USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:49
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip	IBM_TDB	
		ipx (internet adj protocol)))) and		
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))) and ((match\$4 compar\$6)		
		nearl1 (address\$4 user client member subscriber)) and ((add addition adding		
ŀ		added new\$3) near11 (address\$4 user		
I		client member subscriber)) and ((match\$4		
		compar\$6) near9 (tim\$4 timestamp\$4		
	1	time-stamp\$4))		
_	50	(((web internet wan www) same (track\$4	USPAT;	2003/08/14
		monitor\$4) near8 (user client member	EPO; JPO;	10:59
		subscriber computer)) and ((database	DERWENT;	
		table list\$4) near11 (address\$4 near3 (ip	IBM TDB	
		ipx (internet adj protocol)))) and	_	
		((database table list\$4) near7 (tim\$4		
		timestamp\$4))) and 709/\$.ccls.		
-	687	((tim\$4 timestamp\$4 gmt) with (database	USPAT	2004/01/29
1		tabl\$4 list\$4 sav\$4 stor\$6)) and (((tim\$4	1	11:38
1		timestamp\$4 gmt) with (compar\$6 match\$4		}
1	1	synch\$6 synchronization)) same (new\$4		
1	1	with (user client member subscriber	ļ	
	252	recipient)))	Hennm	2004/01/20
-	253	((tim\$4 timestamp\$4 gmt) with (database tabl\$4 list\$4 sav\$4 stor\$6)) same	USPAT	2004/01/29
				11:36
		(((tim\$4 timestamp\$4 gmt) with (compar\$6 match\$4 synch\$6 synchronization)) same		
		(new\$4 with (user client member		
		subscriber recipient)))		
_	215	((tim\$4 timestamp\$4 gmt) with (database	USPAT	2004/01/29
	210	tabl\$4 list\$4 sav\$4 stor\$6)) same	051711	11:39
		(((tim\$4 timestamp\$4 gmt) with (compar\$6		11103
		match\$4)) same (new\$4 with (user client		
		member subscriber recipient)))		
-	22		USPAT	2004/01/29
		timestamp\$4 gmt) with (database tabl\$4		11:45
		list\$4 sav\$4 stor\$6)) same (((tim\$4		
1		timestamp\$4 gmt) with (compar\$6 match\$4		
1)) same (new\$4 with (user client member		
1		subscriber recipient)))		
-	116		USPAT	2004/01/29
		timestamp\$4 gmt) with (database tabl\$4		16:15
		list\$4 sav\$4 stor\$6)) same (((tim\$4		
		timestamp\$4 gmt) with (compar\$6 match\$4		
)) same (new\$4 with (user client member		
_	20	subscriber recipient))) (internet web site page www) and	USPAT	2004/01/29
-	49	((database tabl\$4 list\$4 server prox\$4)	USPAI	16:49
		with request\$4 with (tim\$4 timestamp\$4		10.19
		gmt)) and (((tim\$4 timestamp\$4 gmt) with		
		(compar\$6 match\$4)) same (new\$4 near3		
	1	(user client member subscriber		
		recipient)))		
-	2	((internet web site page www) with hit)	USPAT	2004/01/29
		and (((tim\$4 timestamp\$4 gmt) with		16:53
1		(compar\$6 match\$4)) same (new\$4 near3		
1		(user client member subscriber	1	
1		recipient)))		
-	94	((internet web site page www) with hit)	USPAT	2004/02/02
1		and (((tim\$4 timestamp\$4 gmt) with	1	09:32
1		(compar\$6 match\$4)) same (user client		
1	10	member subscriber recipient))	IIGD2 T	2004/02/02
-	10	((internet web site page www) with hit)	USPAT	2004/02/02
1		and (((tim\$4 timestamp\$4 gmt) with		09:41
1		(compar\$6 match\$4)) same (user client member subscriber recipient) same		
1		browser)]
	L	WEOMBGE!	1	1

•				
-	84	(internet web site page www) and (((tim\$4	USPAT	2004/02/02
		timestamp\$4 gmt) with (compar\$6 match\$4		10:13
)) same (user client member subscriber		
	14	recipient) same browser) (internet web site page www) and (((tim\$4	USPAT	2004/02/02
-	14	timestamp\$4 qmt) with (compar\$6 match\$4)	USPAI	09:58
		with (database tabl\$4 list\$4)) same (user		09.50
		client member subscriber recipient) same		
		browser)		
_	11	((internet web site page www) and	USPAT	2004/02/02
1		(((tim\$4 timestamp\$4 gmt) with (compar\$6	• "	09:49
	İ	<pre>match\$4) with (database tabl\$4 list\$4))</pre>		
		same (user client member subscriber		
		recipient) same browser)) not (((internet		
		web site page www) with hit) and (((tim\$4		
1		timestamp\$4 gmt) with (compar\$6 match\$4		
		<pre>)) same (user client member subscriber recipient) same browser))</pre>		
_	14	(internet web site page www) and (((tim\$4	USPAT	2004/02/02
-	14	timestamp\$4 gmt) with (compar\$6 match\$4)	OSFAI	10:05
		with (database tabl\$4 list\$4)) same (user		10.00
	!	client member subscriber recipient) same		
		browser) and (time\$4 dat\$4)		
-	16		USPAT	2004/02/02
		timestamp\$4 gmt date) with (compar\$6		10:06
		match\$4) with (database tabl\$4 list\$4))		
		same (user client member subscriber		
		recipient) same browser) and (tim\$4 dat\$4 timestamp\$4 gmt)		
1_	78	(internet web site page www) and (((tim\$4	USPAT	2004/02/02
	,0	timestamp\$4 gmt) with (compar\$6 match\$4	"	14:25
)) same (user client member subscriber		
	ı	recipient) same browser) and ((tim\$4		
		timestamp\$4 gmt) with (user client member		
		subscriber recipient))		
-	34	(internet web site page www) and (((tim\$4	USPAT	2004/02/02
		timestamp\$4 gmt) with (compar\$6 match\$4)) same (user client member subscriber		14:26
		recipient) same browser) and ((tim\$4		
		timestamp\$4 gmt) with (user client member		
		subscriber recipient) with (send\$4		
		forward\$4 transfer\$6 transmi\$6))		
-	78	709/\$.ccls. and (davis judson).in. and	USPAT	2004/02/02
	_	(tim\$4 timestamp\$4 gmt date)	,,,,,,,,,,	11:57
-	2	709/\$.ccls. and (judson).in. and (tim\$4	USPAT	2004/02/02 11:43
_	13	timestamp\$4 gmt date) 709/223,224.ccls. and (davis judson).in.	USPAT	2004/02/02
_	13	and (tim\$4 timestamp\$4 gmt date)	John	14:20
-	3	709/223,224.ccls. and (davis judson).in.	USPAT	2004/02/02
	[and ((tim\$4 timestamp\$4 gmt date) with		14:21
		(compar\$6 match\$4))		
-	32		USPAT	2004/02/02
		timestamp\$4 gmt) with (compar\$6 match\$4		14:26
)) same (user client member subscriber		
		recipient) same browser) and ((tim\$4 timestamp\$4 gmt) with (user client member		
		subscriber recipient)) and 709/\$.ccls.		
_	18	l	USPAT	2004/02/02
		timestamp\$4 gmt) with (compar\$6 match\$4		15:13
)) same (user client member subscriber		
		recipient) same browser) and ((tim\$4		
		timestamp\$4 gmt) with (user client member		
		subscriber recipient) with (send\$4	1	
		forward\$4 transfer\$6 transmi\$6)) and 709/\$.ccls.		
_	340	709/3.ccis. 709/223,224.ccls. and ((tim\$4 timestamp\$4	USPAT;	2004/02/03
	540	gmt) with (user member subscriber client	EPO; JPO;	11:06
		recipient)) and ((tim\$4 timestamp\$4 gmt)	DERWENT;	
		with (match\$4 compar\$6))	IBM_TDB	
		· · ·		

-	21	709/223,224.ccls. and ((tim\$4 timestamp\$4	USPAT;	2004/02/03
		gmt) with (user member subscriber client	EPO; JPO;	11:24
		recipient)) and ((tim\$4 timestamp\$4 gmt)	DERWENT;	
!		with (match\$4 compar\$6) same (age aging	IBM_TDB	
		frequen\$5))	l -	